




#79314

ABRASION - EN 388:2016 Levels 1-4 (cycles)



CUT - EN ISO 13997 (TDM-100Test) Levels A-F



TEAR - EN 388:2016 Levels 1-4 (N)



PUNCTURE - EN 388:2016 Levels 1-4 (N)



DEXTERITY - EN 420 Levels 1-5



FEATURES



Cut Resistant



Puncture Resistant



Impact Protection



High Abrasion



Oil & Water Repellent



Highly Breathable



Dexterity



High Visibility


APPLICATIONS

Rescue & Extrication; Oil & Gas Mining; Heavy Construction



#79314

ABRASION - EN 388:2016 Levels 1-4 (cycles)



CUT - EN ISO 13997 (TDM-100Test) Levels A-F



TEAR - EN 388:2016 Levels 1-4 (N)



PUNCTURE - EN 388:2016 Levels 1-4 (N)



DEXTERITY - EN 420 Levels 1-5



FEATURES



Cut Resistant



Puncture Resistant



Impact Protection



High Abrasion



Oil & Water Repellent



Highly Breathable



Dexterity



High Visibility

APPLICATIONS

Rescue & Extrication; Oil & Gas Mining; Heavy Construction


NEW EN 388:2016



EN388:2016



abcdef



LEVELS OF PERFORMANCE	1	2	3	4	5	
a Abrasion Resistance (cycles)	100	500	2000	8000		
b Blade Cut Resistance (index)	1.2	2.5	5.0	10.0	20.0	
c Tear Resistance (N)	10	25	50	75		
d Puncture Resistance (N)	20	60	100	150		
LEVELS OF PERFORMANCE	A	B	C	D	E	F
e EN ISO Cut Resistance (N)	2	5	10	15	22	30
f EN Impact Protection	PASS OR FALL					

Level X can also be applied for "a" through "e" above, which means "not tested" or "not applicable"